

Indoor P1.9 P2.6,P3.9

1000X250mm(WxH)

750x250mm(WxH)


500x250mm(WxH)



ultra slim LED banner for Fix installation

Commercial / Retails / Other


Banner highlights



Die-casting frame with high precision,
ultra slim and light, only 33mm & 5.8kg/panel(1000x250mm)



Simply design inside, the HUB Card instead of pin cables
to get stable and durable quality



front access with magnet
easy and fast maintenance

www.strongertek.com



Right angle is available(options)

Banner Specification

Item	LED Banner Series (indoor fix installation)		
Pixel Pitch	P1.9 indoor	P2.6 indoor	P3.9 indoor
LED per pixel	SMD1515	SMD1515	SMD2121
Pixel Density(per sqm)	262144	147456	65536
Module Dimension(WxH)	250x250mm	250x250mm	250x250mm
Module Resolution	128x128 pixels	96x96 pixels	64x64 pixels
Scan Rate	1/14	1/14	1/14
Cabinet Dimension(WxHxD)	(1000/750/500)x250x33mm	(1000/750/500)x250x33mm	(1000/750/500)x250x33mm
Cabinet Resolution(1000mm)	512x128 pixels	384x96 pixels	256x64 pixels
Best View Distancing	>1m	>2m	>3m
Refresh Rate	3840Hz	3840Hz	3840Hz
Viewing Angle(H/V)	160°/140°	160°/140°	160°/140°
Cabinet Material	Die-casting	Die-casting	Die-casting
45°(options)	Yes	Yes	Yes
Maintenance	Front	Front	Front
Single Cabinet Weight	5.8/4.5/3.0kgs	5.8/4.5/3.0kgs	5.8/4.5/3.0kgs
Brightness	800-1200nits	800-1200nits	800-1200nits
Max Power Consumption	500w	500w	500w
Avg Power Consumption	250w	250w	250w
Ingress Protection	IP30	IP30	IP30
Lifetime(Hrs)	100,000	100,000	100,000
Working Temperature	-20°~+60°	-20°~+60°	-20°~+60°
Storage Temp/Humidity	-40°/60°; 10%-60%RH		

*product spec are for reference only,the final interpretation right of product is reserved by StrongerTek

StrongerTek *stronger for LED*

Indoor LED Display
Outdoor LED Display
Customized LED Display
LED for rental using
LED for fix installation

Follow Us



WEBSITE



YOUTUBE



FACEBOOK

StrongerTek Co Ltd

Add: 4F BaiCai Tech Park, No.32 GuangMing Rd, ShiYan, Shenzhen, China
More information pls contact with us.

Marketing1: sales@strongertek.com
Marketing2: mamie@strongertek.com
Support: jackson@strongertek.com